
5040

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

_			_	_	
A1	nnl	icat	ion	Serial	Number:
	77,		1011	Outlai	i tuilloci.

Source:

Date Processed by STIC:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 06/05/04):
 U.S. Patent and Trademark Office, 220 20th Street S., Customer Window, Mail Stop Sequence, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202

Revised 05/17/04



PCT

12/28/04

RAW SEQUENCE LISTING

DATE: 12/28/2004

PATENT APPLICATION:

file://CACRF4\OUTHOLD\VsrJ517324.htm = incle NUClentile

TIME: 11:50:05

Input Set : A:\040679.txt

Output Set: N:\CRF4\12282004\J517324.raw

US/10/517,324

```
3 <110> APPLICANT: SinoGenoMax Company Ltd
      5 <120> TITLE OF INVENTION: Randomised DNA libraries and double-stranded RNA libraries,
use and
             method of production thereof
      8 <130> FILE REFERENCE: P06031PC00
C--> 10 <140> CURRENT APPLICATION NUMBER: US/10/517,324
C--> 11 <141> CURRENT FILING DATE: 2004-12-20
     13 <150> PRIOR APPLICATION NUMBER: US 60/390,108
     14 <151> PRIOR FILING DATE: 2002-06-21
                                                              ras Not Comply
     16 <160> NUMBER OF SEQ ID NOS: 45
     18 <170> SOFTWARE: PatentIn version 3.1
     20 <210> SEQ ID NO: 1
     21 <211> LENGTH: 29
     22 <212> TYPE: DNA
     23 <213 > ORGANISM: (Artificial Sequence
     25 <220> FEATURE:
     26 <223> OTHER INFORMATION: 5?rimer
     28 <400> SEQUENCE: 1
     29 ggaattcgaa cgctgacgtc atcaacccg
                                         J-PIS explain Source of genetic
Invalid material,
                                                                            29
     32 <210> SEQ ID NO: 2
     33 <211> LENGTH: 35
     34 <212> TYPE: DNA
                       Artificial Sequence
     35 <213> ORGANISM:
     37 <220> FEATURE:
     38 <223 > OTHER INFORMATION 3?rimer
     40 <400> SEQUENCE: 2
     41 gaagatetgt etcatacaga aettataaga ttece
                                                                            35
                                                IS explain source of genetical
    .44 <210> SEQ ID NO: 3
     45 <211> LENGTH: 500
     46 <212> TYPE: DNA
     47 <213 > ORGANISM: /Artificial Sequence
                                                  Innally Response
     49 <220> FEATURE:
     50 <223 > OTHER INFORMATION: (Modified sequence
     52 <220> FEATURE:
    53 <221> NAME/KEY: misc feature
     54 <222> LOCATION: (7)..(7)
    55 <223 OTHER INFORMATION: (Represents nucleotides not clearly identified in the
sequencing r
                                                Invalid Respon
            <del>−e</del>sult.
     59 <220> FEATURE:
    60 <221> NAME/KEY: misc_feature
     61 <222> LOCATION: (9)..(9)
                                                                                     on evi
    62 <223 > OTHER INFORMATION: Represents nucleotides not clearly identified in the
sequencing r
                                                                                       SUMM
                                                   Inwill response
         "CAN ONly represent a
```

file://C:\CRF4\OUTHOLD\VsrJ517324.htm

Page 2 of 9

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/517,324

DATE: 12/28/2004 TIME: 11:50:05

Input Set : A:\040679.txt

Output Set: N:\CRF4\12282004\J517324.raw

	Output Set: N:\CRF4\12282004\J517324.raw	•
W	67 tagaganana tatanatan ana ana ana ana ana ana	
M>	67 tecagonane gegggeeeag tgteactagg egggaacace eagegegegt gegeeetgge	60
	69 aggaagatgg ctgtgaggga caggggagtg gcgccctgca atatttgcat gtcgctatgt	120
	71 gttctgggaa atcaccataa acgtgaaatg tctttggatt tgggaatctt ataagttctg 73 tatgagacag atcttcaata ttggccatta gccatattat tcattggtta tatagcataa	180
•	75 atcaatattg gctattggcc attgcatacg ttgtatctat atcataatat gtacatttat	240
	77 attggctcat gtccaatatg accgccatgt tggcattgat tattgactag ttattaatag	300
	79 taatcaatta cggggtcatt agttcatagc ccattatggg agttccgcgt tacataactt	360
	81 acggtaaatg gcccgcctgg ctgaccgccc aacgaccccc gcccattgac gtcaataatg	420 480
	83 acgtatgttc ccatagtaac	500
	86 <210> SEQ ID NO: 4	300
•	87 <211> LENGTH: 38	•
	88 <212> TYPE: DNA	
•	89 <213> ORGANISM: Artificial Sequence	
•	91 <220> FEATURE:	
	92 <223> OTHER INFORMATION: 5?rimer	
•	94 <400> SEQUENCE: 4	
	95 acgcgtcgac gaattcgaac gctgacgtca tcaacccg	38
	98 <210> SEQ ID NO: 5	
	99 <211> LENGTH: 36	
	100 <212> TYPE: DNA	•
	101 <213> ORGANISM: Artificial Sequence	
	103 <220> FEATURE:	
	103 <220> FEATURE: 104 <223> OTHER INFORMATION: 3?rimer Striker 106 <400> SEOUENCE: 5	
	107 cccaagettg teteatacag aacttataag attece	36
	110 <210> SEQ ID NO: 6	
	111 <211> LENGTH: 50	
	112 <212> TYPE: DNA	
	113 <213> ORGANISM: Artificial Sequence 115 <220> FEATURE:	
	116 <223> OTHER INFORMATION: oligo DNA	
	118 <400> SEQUENCE: 6	
	119 ggggaagatc taaaaaaata aatgaatcaa gaacattttt aagcttgggg	5 0
	122 <210> SEQ ID NO: 7	50
4	123 <211> LENGTH: 50	
	124 <212> TYPE: DNA	
	125 <213> ORGANISM: Artificial Sequence	
7	127 <220> FEATURE:	
-	128 <223> OTHER INFORMATION: oligo DNA	
	130 <400> SEQUENCE: 7	
	131 ccccaagett aaaaatgtte ttgatteatt tatttttta gatetteece	50
	134 <210> SEQ ID NO: 8	_
	135 <211> LENGTH: 50	$\sim \int$
	136 <212> TYPE: DNA	irce of
	137 <213 > ORGANISM: Artificial Sequence \ WNG()	- in mountain.
	135 <211> LENGTH: 50 136 <212> TYPE: DNA 137 <213> ORGANISM: Artificial Sequence 139 <220> FEATURE: 140 <223> OTHER INFORMATION: 19 nucleotides randomized region Sevential Sequence (19 nucleotides randomized region)	2th C MINNOW
	140 <223 > OTHER INFORMATION: (19 nucleotides randomized region)	. 1
	142 <220> FEATURE:	
	142 <220> FEATURE: 143 <221> NAME/KEY: misc_feature MOSF	
		me
	MUST	
		11
		m# 1100
	1 CDD 1H	W 1-11
•		, 1100
file://C	C:\CRF4\OUTHOLD\VsrJ517324.htm	SIAIMM W/12/28/04
		> 1A FVI / 12/20/04

DATE: 12/28/2004

TIME: 11:50:05

Input Set : A:\040679.txt Output Set: N:\CRF4\12282004\J517324.raw 144 <222> LOCATION: (17)...(35) 145 <223 > OTHER INFORMATION: Randomized region. 148 <400> SEQUENCE: 8 W--> 149 ggggaagate taaaaannnn nnnnnnnnn nnnnhttttt aagettgggg s explain "N" locations. 152 <210> SEQ ID NO: 9 153 <211> LENGTH: 51 154 <212> TYPE: DNA 155 <213> ORGANISM: (Artificial Sequence)
157 <220> FEATURE: PIC PXOLAIN Source of GENETIC MARKETIAC, 158 <223> OTHER INFORMATION: (20) nucleotides randomized region 160 <220> FEATURE: 161 <221> NAME/KEY: misc feature 162 <222> LOCATION: (17)..(36) 163 <223> OTHER INFORMATION: Randomized region. 166 <400> SEQUENCE: 9 W--> 167 ggggaagate taaaaannn nnnnnnnn nnnnnntttt taagettggg g 170 <210> SEQ ID NO: 10 171 <211> LENGTH: 52 172 <212> TYPE: DNA 173 <213> ORGANISM: Artificial Sequence 175 <220> FEATURE: 176 <223> OTHER INFORMATION: (21 nucleotides randomized region) 178 <220> FEATURE: 179 <221> NAME/KEY: misc feature Same errors 180 <222> LOCATION: (17)..(37) 181 <223 > OTHER INFORMATION: (Randomized region. 184 <400> SEQUENCE: 10 W--> 185 ggggaagate taaaaannnn nnnnnnnn nnnnnnnttt ttaagettgg gg 52 188 <210> SEQ ID NO: 11 189 <211> LENGTH: 15 190 <212> TYPE: DNA 191 <213> ORGANISM: Artificial Sequence 193 <220> FEATURE: 194 <223> OTHER INFORMATION: primer 196 <400> SEQUENCE: 11 197 ccccaagctt aaaaa 15 200 <210> SEQ ID NO: 12 '201 <211> LENGTH: 19 202 <212> TYPE: DNA 203 <213> ORGANISM: Artificial Sequence 205 <220> FEATURE: 206 <223> OTHER INFORMATION: 19 base pair clone 208 <400> SEQUENCE: 12 209 aaagggttta cgtggttgg 19 212 <210> SEQ ID NO: 13 213 <211> LENGTH: 19

US/10/517,324

RAW SEQUENCE LISTING

PATENT APPLICATION:

214 <212> TYPE: DNA

217 <220> FEATURE:

215 <213 > ORGANISM: Artificial Sequence

RAW SEQUENCE LISTING

DATE: 12/28/2004 PATENT APPLICATION: US/10/517,324 TIME: 11:50:05

Input Set : A:\040679.txt

Output Set: N:\CRF4\12282004\J517324.raw

218	<223>	OTHER INFORMATION: 19 base pair clone	
220	<400>	SEQUENCE: 13	
221	aatcg	tctta tttgcatgc	19
224	<210>	SEQ ID NO: 14	
225	<211>	LENGTH: 19	
226	<212>	TYPE: DNA	
227	<213>	ORGANISM: Artificial Sequence	
229	<220>	FEATURE:	
230	<223>	OTHER INFORMATION: 19 base pair clone	
		SEQUENCE: 14	
233	aattg	acatg tgagcttgg	19
236	<210>	SEQ ID NO: 15	
237	<211>	LENGTH: 19	
238	<212>	TYPE: DNA	
239	<213>	ORGANISM: Artificial Sequence	
		FEATURE:	
242	<223>	OTHER INFORMATION: 19 base pair clone	
244	<400>	SEQUENCE: 15	
245	agtage	cttgt tgaggttgg	19
248	<210>	SEQ ID NO: 16	
249	<211>	LENGTH: 19	
250	<212>	TYPE: DNA	
251	<213>	ORGANISM: Artificial Sequence	
253	<220>	FEATURE:	
254	<223>	OTHER INFORMATION: 19 base pair clone	
256	<400>	SEQUENCE: 16	
257	cagcat	tcact gtatgtgtc	19
260	<210>	SEQ ID NO: 17	
261	<211>	LENGTH: 19	
262	<212>	TYPE: DNA	
263	<213>	ORGANISM: Artificial Sequence	
265	<220>	FEATURE:	
2,66	<223>	OTHER INFORMATION: 19 base pair clone	
268	<400>	SEQUENCE: 17	
		ttcgt ggaggttgg	19
		SEQ ID NO: 18	
		LENGTH: 19	
		TYPE: DNA	
		ORGANISM: Artificial Sequence	
		FEATURE:	
		OTHER INFORMATION: 19 base pair clone	
		SEQUENCE: 18	
		aaggt ggtgatgcg	19
		SEQ ID NO: 19	
		LENGTH: 19	
		TYPE: DNA	
		ORGANISM: Artificial Sequence	
289	<220>	FEATURE:	

290 <223> OTHER INFORMATION: 19 base pair clone

RAW SEQUENCE LISTING DAY
PATENT APPLICATION: US/10/517,324 TI

DATE: 12/28/2004 TIME: 11:50:05

Input Set : A:\040679.txt

Output Set: N:\CRF4\12282004\J517324.raw

```
292 <400> SEQUENCE: 19
     293 cttaattggt ggttgtagg
                                                                                19
     296 <210> SEQ ID NO: 20
     297 <211> LENGTH: 19
     298 <212> TYPE: DNA
     299 <213> ORGANISM: Artificial Sequence
     301 <220> FEATURE:
     302 <223> OTHER INFORMATION: 19 base pair clone
     304 <400> SEQUENCE: 20
     305 tggctgtatg tgagtggct
                                                                                19
     308 <210> SEQ ID NO: 21
     309 <211> LENGTH: 19
     310 <212> TYPE: DNA
     311 <213> ORGANISM: Artificial Sequence
     313 <220> FEATURE:
     314 <223> OTHER INFORMATION: 19 base pair clone
     316 <400> SEQUENCE: 21
                                                                                19
     317 ttaatctctg gtgtcctaa
     320 <210> SEQ ID NO: 22
     321 <211> LENGTH: 19
     322 <212> TYPE: DNA
     323 <213> ORGANISM: Artificial Sequence
     325 <220> FEATURE:
     326 <223> OTHER INFORMATION: 19 base pair clone
     328 <400> SEQUENCE: 22
     329 ttgtagggac ttggatgat
                                                                                19
     332 <210> SEQ ID NO: 23
     333 <211> LENGTH: 15
     334 <212> TYPE: DNA
     335 <213> ORGANISM: Artificial Sequence
     337 <220> FEATURE:
     338 <223> OTHER INFORMATION: Primer
     340 <400> SEQUENCE: 23
     341 aaaaattcga acccc
                                                                                15
    344 <210> SEQ ID NO: 24
     345, <211> LENGTH: 50
     346 <212> TYPE: DNA
    1347 <213> ORGANISM: Artificial Sequence
     349 <220> FEATURE:
     350 <223> OTHER INFORMATION: (complementary to SEQ ID NO 8
     352 <220> FEATURE:
                                                      SAME Errors
     353 <221> NAME/KEY: misc_feature
     354 <222> LOCATION: (17)..(35)
     355 <223 > OTHER INFORMATION: (Randomized region.
     358 <400> SEQUENCE: 24_
W--> 359 ccccttctag attttunnn nnnnnnnnn nnnnnaaaaa ttcgaaccc
                                                                                50
     362 <210> SEQ ID NO: 25
     363 <211> LENGTH: 35
```

364 <212> TYPE: DNA

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/517,324

DATE: 12/28/2004 TIME: 11:50:06

Input Set : A:\040679.txt

Output Set: N:\CRF4\12282004\J517324.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:3; N Pos. 7,9 \ Seq#:8; N Pos. 17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35 Seq#:9; N Pos. 17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36 Seq#:10; N Pos. 17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36 Seq#:10; N Pos. 37 Seq#:24; N Pos. 17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35 Seq#:25; N Pos. 11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29 Seq#:26; N Pos. 7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25 Seq#:34; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19 Seq#:38; N Pos. 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,36 Seq#:38; N Pos. 37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54 Seq#:39; N Pos. 4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,32,33,34 Seq#:39; N Pos. 35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50 Seq#:42; N Pos. 8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26 Seq#:43; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19 Seq#:44; N Pos. 4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22 Seq#:45; N Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/517,324

DATE: 12/28/2004 TIME: 11:50:06

Input Set : A:\040679.txt

Output Set: N:\CRF4\12282004\J517324.raw

L:10 M:270 C: Current Application Number differs, Replaced Current Application Number L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:67 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0 L:149 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0 L:167 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0 L:185 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0 L:359 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0 L:377 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0 L:395 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0 L:497 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0 L:557 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:0 L:583 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0 L:627 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:0 L:645 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:43 after pos.:0 L:663 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44 after pos.:0 L:681 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:45 after pos.:0

ERROR DETECTED	SUCCESTED CORRECTION	
ATTN: NEW RULES CASE	TO THE COLORECTION	"ALPIIA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE
	FILEASE DISREGARD ENGLISH	"ALPHA" HEADERS WHICH WERE WE
Weapped Nucleies	The number/text at the end of each	line "wrapped" down to the next line. This may occur if your file
tabben Villiuos	was retrieved in a word processor;	effer regular is place of the next line. This may occur if your co
•	prevent "wrapping."	line "wrapped" down to the next line. This may occur if your file after creating it. Please adjust your right margin to .3; this will
Invalid Line Length	The rules require that a line	•
3_ Missliened Amina	A mar a muc wot exc	seed 72 characters in length. This includes white spaces.
Numbering	use the ender each 5th amine	o acid is misslicated. Do not
4 No. 1500	-se space enaracters, instead.	o acid is misaligned. Do not use tab codes between numbers:
	The submitted file was a series	
- - .	ensure your subsequent submission	ASCII(DOS) text, as required by the Sequence Rules. Please
SVariable Length S	equence(s)	and the second section of the second
c	sch u or X33 can bolk conses X33,2	representing more than one gesidue. Per Sequence Rules.
	esidue having variable length and inc	representing more than one sessidue. For Sequence Rules, single residue. Please present the maximum number of each dicate in the <220>.<223> section that some may be missing
GPatentin 2.0 A	"hue":- a	sicale in the <220>.<223> section that some may be mission
· so to	Quences(s)	lused the <220>.<223> section to be
pr	eviously coded nucleic acid services	rused the <220>.<223> section to be missing from animo acid Patently would automatically generate this section from the Please manually copy the relevant <220>.<223> section to This applies to the mandatory <220>.<223>
the A.	supsequent amino acid sequence	e. Please manually copy the relevant <220>.<223> section to This applies to the manualory <220>-<223> sections for
	unicizi or Unknown sequences.	applies to the mandatory <220>-<223> sections for
skilibea zedneuces Zei	quence(s)	
(5) (5)	INFORMATION FOR SEO ID NO	mal, please insert the following lines for each skipped sequence X (insert SEQ ID NO where "X" is shown)
(1) (K)	SEQUENCE CHARACTER	ISTICS (Do not insert as a series shown)
Thi	s reducuce is intentional sed	X (insert SEQ ID NO where "X" is shown) ISTICS (Do not insert any subheadings under this heading) ID NO X (insert SEQ ID NO where "X" is shown)
O.L.	weight a skibbed	A 18 shown)
FICE	sc also adjust the "(11) NUMBER OF	F SEQUENCES : response to include the skipped sequences
8 Skipped Sequences Sequences	icncc(s)	and a server a response to include the skilbed sequences
(a., (Ore2) < 510	> sequence id pupilis	enal, please insert the following lines for each skipped sequences.
<400 000	> reducues 19 unumper	o con sequent sequent.
(NEW OF X43's Use of	of n's and/or Xaa's hours	
Per L	82) of Sequence Rules, use of < 220	d in the Sequence Listing > < 223> is MANDATORY if n's or Xaa's are present illocation of n or Xaa, and which resid
10	20> to <223> section, please explain	docation of a or Year of the sor Xaa's are present
Per 1.	823 of Scourses B.	THE TESTONE OF YAY TEDIESCONE
Response scienti	fic namic (Genustance to care	id <213> responses are Unknown. Amilicial Sequence or 223> section is required when <213> response is Unknown.
IS Arti	ficial Sequence	553 > section is reduited when < 513 > testionise in this
Usc of	<2220 > 10 <223 > is MAND 4 Trace	
"Unkn	Own " Please explain source of nene	tic material in <550> to <553> section
13 '0	coeral Register," 00001/1998, Vol. 6	if <213> "Organism" responsers "Aruficial Sequence" or lic material in <220> to <223> section 3. No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
Please of the second se	do not use "Cia"	(Sec. 1.82) of Sequence Rules
וכצחונוט	C In mission —	1 1/3/cnt/n version / 11 / 15-
11	ase the Wauster.	of any other manual
13 Misusc of n/X22 "n" can	only represent a single	onter manual means to copy file to Noppy disk.
	angic nacicotiac: "	Xaa" can only represent a single agricult
	AMC - Biotechnology Systems De	o. annuo scio

AMC - Biotechnology Systems Branch - 09/09/2003